

SAFETY INSTRUCTIONS

Please follow the instructions for use of the Erica Synths module below, 'cause only this will guarantee proper operation of the module and ensure warranty from Erica Synths.



Water is lethal for most of the electric devices, unless they are made waterproof. This Erica Synths module is NOT intended for use in a humid or wet environment. No liquids or other conducting substances must get into the module. Should this happen, the module should be disconnected from mains power immediately, dried, examined and cleaned by a qualified technician.



Do not expose the module to temperatures above +50° C or below -20° C. If you have transported module in extreme low temperatures, leave it in room temperature for an hour before plugging it in.



Transport the instrument carefully, never let it drop or fall over. Warranty does not apply to modules with visual damages.



The module has to be shipped in the original packaging only. Any module shipped to us for return, exchange and/or warranty repair has to be in its original packaging. All other deliveries will be rejected and returned to you. Make sure you keep the original packaging and technical documentation.



This device complies to the EU guidelines and is manufactured RoHS conforming without use of lead, mercury, cadmium and chrome. Nevertheless, this device is special waste and disposal in household waste is not recommended.

You will find Erica Synths terms of warranty at www.ericasynthslv

Items for return, exchange and/or warranty repair have to be sent to:

Erica Synths
Andrejostas Str. 43
Riga
Latvia
LV-1045

User manual by Girts Ozolins@Erica Synths.

Design by Ineta Briede@Carre Branding.

Copying, distribution or any commercial use in any way is prohibited and needs the written permission by Erica Synths.

Specifications are subject to change without notice.

In case of any questions, feel free to contact us through www.ericasynthslv or via e-mail info@ericasynthslv

THANK YOU FOR PURCHASING ERICA SYNTHS DRUM MODULE!

Erica Drum Series modules include high-end, unique functionality and superior quality modules, which allow you to design extensive, feature rich modular system for sound design and live performances.

Erica Synths Snare Drum is developed in collaboration with the French company e-licktronic and it's our take on analogue snare drum circuits adapted for modular systems. Sharp, punchy sound, Accent and CV control over key parameters of the module make it distinctively expressive in studio and live performances.

FEATURES

Tune, Snappy, Noise tone and Decay controls
CV control with attenuators over Tune and Decay
Manual trigger
Accent for better expression

SPECS

Decay range	150ms - 260ms
Audio output level	-5...+5V
CV level (full span)	-5V - +5V
Accent CV level	10V
Trigger level	5V
Trigger time	1ms
Power consumption	37mA @ +12V, 35mA @ -12V
Module width	10HP
Module depth	35mm

SNARE



TUNE

Set master tune of the Snare drum

NOISE TONE

This knob adjusts noise filter cutoff, so you can set desired noise tone

MAN TRIGG

Use the manual trigger button to check the snare drum settings and add some triggers during live performance

TRIGG

This is trigger input. The LED indicate incoming trigger

ACC

This is the Accent input. +10V CV will set the Snare Drum to the maximum volume.

SNAPPY

Snappy knob allows you to fade between tone and noise

DECAY

Set the decay time of the noise

TUNE CV, DECAY CV

These are CV attenuators of relevant CV inputs

TUNE CV IN, DECAY CV IN

These are CV inputs to control Tune and Decay

OUT

This is the output of the module



SNARE

